

Cachet et signature du responsable du lieu de stage :
Signature du référent professionnel du stage :

of which the only visible effect is on those who are
able to identify a specific taxon whose
abundance may be slightly higher than
that of other species. The abundance of
the most abundant species is often
higher than that of the second most
abundant species, but the difference
is usually small. This pattern is
commonly observed in both terrestrial
and aquatic communities, although
the magnitude of the difference
varies greatly between different
communities. In some cases, the
difference is very small, while in
others it is quite large. The
magnitude of the difference depends
on the type of community and
on the environmental conditions.
In general, the difference is larger
in terrestrial communities than
in aquatic communities, but this
pattern is not always consistent.
For example, in some aquatic
communities, the most abundant
species may be the one that
dominates the community, while
in others, it may be a species
that is less abundant but more
dominant. This pattern is
commonly observed in both
terrestrial and aquatic
communities, although the
magnitude of the difference
varies greatly between different
communities. In some cases, the
difference is very small, while in
others it is quite large. The
magnitude of the difference depends
on the type of community and
on the environmental conditions.
In general, the difference is larger
in terrestrial communities than
in aquatic communities, but this
pattern is not always consistent.

Evaluation générale :

EVALUATION DU SITE N°2 PAR LE SITE DE STAGE